

Intelligent Systems Reference Library

Volume 58

Series editors

Janusz Kacprzyk, Polish Academy of Sciences, Warsaw, Poland
e-mail: kacprzyk@ibspan.waw.pl

Lakhmi C. Jain, University of Canberra, Canberra, Australia
e-mail: Lakhmi.jain@unisa.edu.au

For further volumes:
<http://www.springer.com/series/8578>

About this Series

The aim of this series is to publish a Reference Library, including novel advances and developments in all aspects of Intelligent Systems in an easily accessible and well structured form. The series includes reference works, handbooks, compendia, textbooks, well-structured monographs, dictionaries, and encyclopedias. It contains well integrated knowledge and current information in the field of Intelligent Systems. The series covers the theory, applications, and design methods of Intelligent Systems. Virtually all disciplines such as engineering, computer science, avionics, business, e-commerce, environment, healthcare, physics and life science are included.

George A. Anastassiou · Iuliana F. Iatan

Intelligent Routines II

Solving Linear Algebra and Differential
Geometry with Sage

George A. Anastassiou
Department of Mathematical Sciences
University of Memphis
Memphis
USA

Iuliana F. Iatan
Department of Mathematics and Computer
Science
Technical University of Civil Engineering
Bucharest
Romania

ISSN 1868-4394 ISSN 1868-4408 (electronic)
ISBN 978-3-319-01966-6 ISBN 978-3-319-01967-3 (eBook)
DOI 10.1007/978-3-319-01967-3
Springer Cham Heidelberg New York Dordrecht London

Library of Congress Control Number: 2012932490

© Springer International Publishing Switzerland 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law. The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Mathematics: the art of redescribing to the simplest of logical structures, that is an art of rewriting finite steps of thinking.

G. A. Anastassiou

The measure of success for a person is the magnitude of his/her ability to convert negative conditions to positive ones and achieve goals.

G. A. Anastassiou

Labor omnia vincit improbus.

Virgil, Georgics

The greatest thoughts come from the heart.

Vauvenargues, Reflections and Maxims

Friends show me what I can do, foes teach me what I should do.

Schiller, Friend and foe

*Experience is by industry achieved, and
perfected by the swift course of time.*

Shakespeare, *The Two Gentlemen of Verona*

*Good name in man and woman, dear my
lord, Is the immediate jewel of their souls.
Who steals my purse steals trash; 't is
something, nothing; 'T was mine, 't is his,
and has been slave to thousands; But he that
filches from me my good name Robs me of
that which not enriches him, And makes me
poor indeed.*

Shakespeare, *Othello* Act III, scene 3

*L'ami du genre humain n'est point du tout
mon fait.*

Molière, *Le Misanthrope*, I, 1

*Honor is like an island, rugged and without
shores; we can never re-enter it once we are
on the outside.*

Boileau, *Satires*

*Modesty is an adornment, but you come
further without it.*

German proverb

Preface

Linear algebra can be regarded as a theory of the vector spaces, because a vector space is a set of objects or elements that can be added together and multiplied by numbers (the result remaining an element of the set), so that the ordinary rules of calculation are valid. An example of a vector space is the geometric vector space (the free vector space), presented in the first chapter of the book, which plays a central role in physics and technology and illustrates the importance of the vector spaces and linear algebra for all practical applications.

Besides the notions which operates mathematics, created by abstraction from environmental observation (for example, the geometric concepts) or quantitative and qualitative research of the natural phenomena (for example, the notion of number) in mathematics there are elements from other sciences. The notion of vector from physics has been studied and developed creating vector calculus, which became a useful tool for both mathematics and physics. All physical quantities are represented by vectors (for example, the force and velocity).

A vector indicates a translation in the three-dimensional space; therefore we study the basics of the three-dimensional Euclidean geometry: the points, the straight lines and the planes, were in the second chapter.

The linear transformations are studied in the third chapter, because they are compatible with the operations defined in a vector space and allow us to transfer algebraic situations and related problems in three-dimensional space.

Matrix operations clearly reflect their similarity to the operations with linear transformations; so the matrices can be used for the numerical representation of the linear transformations. The matrix representation of linear transformations is analogous to the representation of the vectors through n coordinates relative to a basis.

The eigenvalue problems (also treated in the third chapter) are of great importance in many branches of physics. They make it possible to find some coordinate systems in which changes take the simplest forms. For example, in mechanics the main moments of a solid body are found with the eigenvalues of a symmetric matrix representing the vector tensor. The situation is similar in continuous mechanics, where the body rotations and deformations in the main directions are found using the eigenvalues of a symmetric matrix. Eigenvalues have a central importance in quantum mechanics, where the measured values of the observable physical quantities appear as eigenvalues of operators. Also, the

eigenvalues are useful in the study of differential equations and continuous dynamical systems that arise in areas such as physics and chemistry.

The study of the Euclidean vector space in the fourth chapter is required to obtain the orthonormal bases, whereas relative to these bases the calculations are considerably simplified. In a Euclidean vector space, scalar product can be used to define the length of vectors and the angle between them. In the investigation of the Euclidean vector spaces very useful are the linear transformations compatible with the scalar product, i.e. the orthogonal transformations. The orthogonal transformations in the Euclidean plane are: the rotations, the reflections or the compositions of rotations and reflections.

The theory of bilinear and quadratic form are described in the fifth chapter. These are used with analytic geometry to get the classification of the conics and of the quadrics, presented in the Chap. 8.

In Analytic Geometry we replace the definitions and the geometrical study of the curves and the surfaces, by the algebraic correspondence: a curve and a surface are defined by algebraic equations, and the study of the curve and the surface is reduced to the study of the equation corresponding to each one (see the seventh chapter).

The above are used in physics, in particular to describe physical systems subject to small vibrations. The coefficients of a bilinear form behave for certain transformations like the tensor coordinates. The tensors are useful in theory of elasticity (deformation of an elastic medium is described through the deformation tensor).

In the differential geometry, in the study of the geometric figures, we use the concepts and methods of the mathematical analysis, especially the differential calculus and the theory of differential equations, presented in the sixth chapter. The physical problems lead to inhomogeneous linear differential equations of order n with constant coefficients.

In this book we apply extensively the software SAGE, which can be found free online <http://www.sagemath.org/>.

We give plenty of SAGE applications at each step of our exposition.

This book is useful to all researchers and students in mathematics, statistics, physics, engineering and other applied sciences. To the best of our knowledge this is the first one.

The authors would like to thank Prof. Razvan Mezei of Lenoir-Rhyne University, North Carolina, USA for checking the final manuscript of our book.

Memphis, USA, May 13, 2013
Bucharest, Romania

George A. Anastassiou
Iuliana F. Iatan

Contents

1	Vector Spaces	1
1.1	Geometric Vector Spaces	1
1.1.1	Free Vectors	1
1.2	Operations with Free Vectors	4
1.2.1	Addition of the Free Vectors	4
1.2.2	Scalar Multiplication	9
1.2.3	Vector Decomposition	10
1.2.4	Defining of the Products in the Set of the Free Vectors	13
1.3	Vector Spaces	24
1.4	Vector Subspaces	46
1.5	Problems	54
	References	58
2	Plane and Straight Line in E_3	59
2.1	Equations of a Straight Line in E_3	59
2.1.1	Straight Line Determined by a Point and a Nonzero Vector	59
2.1.2	Straight Line Determined by Two Distinct Points	61
2.2	Plane in E_3	62
2.2.1	A a Point and a Non Zero Vector Normal to the Plane	62
2.2.2	Plane Determined by a Point and Two Noncollinear Vectors	63
2.2.3	Plane Determined by Three Noncollinear Points	65
2.2.4	Plane Determined by a Straight Line and a Point that Doesn't Belong to the Straight Line	66
2.2.5	Plane Determined by Two Concurrent Straight Lines	66
2.2.6	Plane Determined by Two Parallel Straight Lines	68
2.2.7	The Straight Line Determined by the Intersection of Two Planes	69
2.3	Plane Fascicle	73

2.4	Distances in E_3	74
2.4.1	Distance from a Point to a Straight Line	74
2.4.2	Distance from a Point to a Plane	75
2.4.3	Distance Between Two Straight Lines	79
2.5	Angles in E_3	83
2.5.1	Angle Between Two Straight Lines	83
2.5.2	Angle Between Two Planes	83
2.5.3	Angle Between a Straight Line and a Plane	84
2.6	Problems	86
	References	90
3	Linear Transformations	91
3.1	Linear Transformations	91
3.2	Matrix as a Linear Mapping	103
3.3	Changing the Associated Matrix to the Change of Basis	107
3.4	Eigenvalues and Eigenvectors	110
3.4.1	Characteristic Polynomial of an Endomorphism	111
3.4.2	Determining the Eigenvalues and the Eigenvectors for an Endomorphism	116
3.4.3	Diagonalization Algorithm of an Endomorphism	117
3.4.4	Jordan Canonical Form	122
3.5	Problems	130
	References	134
4	Euclidean Vector Spaces	135
4.1	Euclidean Vector Spaces	135
4.2	Linear Operators in Euclidean Vector Spaces	150
4.2.1	Orthogonal Transformations in the Euclidean Plane	152
4.3	Problems	160
	References	164
5	Bilinear and Quadratic Forms	165
5.1	Bilinear and Quadratic Forms	165
5.2	Gauss-Lagrange Method for Reducing a Quadratic Form to a Canonical Expression	169
5.3	Reducing a Quadratic Form to a Canonical Expression by Jacobi Method	175
5.4	Eigenvalue Method for Reducing a Quadratic Form into Canonical Expression	180
5.5	Characterization Criteria for Positive (Negative) Definite Matrices	184
5.6	Problems	190
	References	196

- 6 Differential Geometry of Curves and Surfaces** 197
 - 6.1 Analytical Definition of Curves in the Space 197
 - 6.2 Tangent and Normal Plane to a Curve in the Space 198
 - 6.3 Frenet Trihedron. Frenet Formulas. 199
 - 6.4 Curvature and Torsion of the Space Curves 206
 - 6.5 Envelope of a Family of Curves in Plane. 214
 - 6.6 Analytic Definition of Surfaces 217
 - 6.7 Tangent Plane and Normal to a Surface 219
 - 6.8 First Fundamental Form of a Surface. Curves on a Surface. 223
 - 6.9 Problems 230
 - References 234

- 7 Conics and Quadrics** 235
 - 7.1 General Equation of a Conic. 235
 - 7.2 Conics on the Canonical Equations 238
 - 7.2.1 Circle 238
 - 7.2.2 Ellipse 240
 - 7.2.3 Hyperbola 243
 - 7.2.4 Parabola. 246
 - 7.3 Reducing to the Canonical Form of a Conic Equation 248
 - 7.4 General Equation of a Quadric 262
 - 7.5 Quadrics on Canonical Equations 270
 - 7.5.1 Sphere 270
 - 7.5.2 Ellipsoid 274
 - 7.5.3 Cone 276
 - 7.5.4 Two-Sheeted Hyperboloid 280
 - 7.5.5 Elliptic Paraboloid 282
 - 7.5.6 Hyperbolic Paraboloid 284
 - 7.6 Ruled Surfaces. Surface Generation 286
 - 7.7 Problems 297
 - References 303

- Index** 305

Symbols

E_3 , 1
 \overrightarrow{AB} , 1
 \overline{AB} , 3
 V_3 , 3
 $d(A, B)$, 13
 $\bar{a} \cdot \bar{b}$, 14
 $\bar{a} \times \bar{b}$, 17
 $(\mathbb{R}^n, +, \bullet)$, 25
 $(\mathbb{R}_n[X], +, \bullet)$, 29
 $(M_{m, n}(\mathbb{R}), +, \bullet)$, 25, 26
 \bar{x}_B , 36
 $M_{(B_1, B_2)}$, 39
 $M_n^s(\mathbb{R})$, 46, 47
 $M_n^a(\mathbb{R})$, 48, 49
 \oplus , 52
 \bar{n} , 62, 63
 $L(U, V)$, 92
 $\text{End}(V)$, 92
 $\text{Ker } T$, 92
 $\text{Im } T$, 92
 $\tilde{T}_{(B_1, B_2)}$, 97
 $P(\lambda)$, 112
 g_{λ_0} , 117
 a_{λ_0} , 117
 $J_p(\lambda)$, 123
 $B_p(\lambda)$, 123
 $\langle \bar{x}, \bar{y} \rangle$, 135
 $\|\bar{x}\|$, 138
 $r_\varphi(\bar{x})$, 152
 $s_O(\bar{x})$, 153
 $f(\bar{x})$, 166
 $b(\bar{x}, y)$, 166
 $\bar{\tau}$, 199

$\bar{\beta}$, 199 \bar{v} , 199 π_N , 200 π_O , 200 π_r , 200 Φ_1 , 223 $d\sigma$, 229