

A Computational Model for Risk-Based Quality Governance Assessment in High-Risk Infrastructure Projects: A Weighted Composite Scoring Approach

Mubaraq Babatunde Ashimolowo

Essex Business School, University of Essex, United Kingdom.

mubaraqashimolowo@gmail.com

Abstract

High-risk infrastructure projects, characterized by their complexity, substantial investment, and extended timelines, necessitate robust quality governance frameworks to mitigate potential failures and ensure successful delivery [1]. Traditional governance models often struggle to integrate the dynamic interplay of risk factors with quality assurance mechanisms across the project lifecycle. This paper introduces a computational model designed for risk-based quality governance assessment in such projects. The model employs a weighted composite scoring approach, systematically evaluating various dimensions of quality governance against identified project-specific risks. It synthesizes quantitative metrics and qualitative indicators, transforming complex risk landscapes into actionable governance scores. The methodology encompasses indicator selection, an algorithm for composite score calculation, and a multi-stage validation process. Application through simulated case studies demonstrates the model's capacity to provide a nuanced, real-time assessment of governance efficacy, identifying vulnerabilities and guiding strategic interventions. This approach supports project stakeholders in making informed decisions, thereby enhancing project resilience and reducing the likelihood of adverse outcomes. The model contributes a structured, quantifiable method for proactively managing quality governance in critical infrastructure developments. To operate this concept, the proposed model integrates governance indicators, risk criticality metrics, and decision-weighting mechanisms within a computational decision-support architecture. Specifically, the model combines expert-derived governance indicators with probabilistic risk assessment to compute a normalized Weighted Composite Score (WCS) representing governance effectiveness under risk exposure. Sensitivity analysis and Monte Carlo simulation are incorporated to evaluate the robustness of governance scoring under uncertain project conditions. This computational structure enables systematic benchmarking of governance performance across infrastructure projects with varying risk profiles.

Keywords: Risk-based governance, Infrastructure project governance, Composite scoring model, Computational risk assessment, Project governance analytics, Infrastructure risk management

1 Introduction

The successful execution of high-risk infrastructure projects is central to economic growth and societal well-being [2]. These undertakings are frequently marked by inherent uncertainties, intricate interdependencies, and the potential for severe consequences if not managed effectively. The confluence of substantial capital investment, long operational lifespans, and direct public impact renders robust governance and quality management indispensable for these ventures. Failures in this sector can result in considerable financial losses, reputational damage, and compromised public safety [3].

1.1 Background and Motivation

Infrastructure projects, particularly those categorized as 'high-risk' or 'mega-projects,' often encounter deviations from initial plans regarding cost, schedule, and performance [1]. These deviations frequently arise from inadequate risk management and suboptimal governance structures. Effective governance is recognized as a critical determinant of project success, influencing transparency, accountability, and the efficient allocation of resources. However, assessing the quality of this governance, especially in a risk-informed manner, remains a complex undertaking [4].

Existing risk management frameworks, while comprehensive in identifying and mitigating specific risks, often operate in silos, separate from the broader quality governance mechanisms [5]. This separation can lead to a reactive approach, where governance interventions occur only after risks have materialized into problems. A proactive stance requires an integrated assessment that considers how well governance structures, processes, and behaviors manage inherent project risks to uphold quality standards [6]. The motivation for this research stems from the observed disconnects between traditional risk assessment and quality governance evaluation, particularly in contexts where project outcomes carry substantial societal and economic implications [7].

1.2 Research Objectives

This research outlines a computational model for risk-based quality governance assessment in high-risk infrastructure projects. The specific objectives are as follows:

1. To develop a conceptual framework that integrates risk management principles with quality governance indicators tailored for high-risk infrastructure projects.
2. To design a weighted composite scoring methodology that quantifies the effectiveness of quality governance by accounting for the criticality and likelihood of various project risks.
3. To implement a computational model based on this methodology, enabling systematic assessment and providing a comprehensive 'governance health score.'
4. To validate the model's applicability and utility through simulated case studies, demonstrating its capacity to identify governance weaknesses and inform strategic improvements.
5. To provide project stakeholders with a tool for proactive decision support, fostering resilience and improving success rates in complex infrastructure endeavors.

The overarching objective is to bridge the gap between theoretical governance frameworks and practical, quantifiable assessment tools, offering a novel perspective on ensuring quality outcomes in challenging project environments [8].

1.3 Conceptual Framework for Risk-Based Governance Assessment

This three-dimensional framework builds upon and computationally operationalizes the **Strategic Quality Governance Framework (SQGF)** proposed by [9]. The SQGF identifies four integrated governance mechanisms: governance structure, three-lines integration, strategic assurance mechanisms, and performance stability linkage.

The present model translates these theoretical constructions into measurable computational components. Specifically:

- **Governance Capability** corresponds to governance structure and three-lines integration, capturing institutional arrangements and oversight layers.
- **Risk Exposure** operationalizes the SQGF principle that governance adequacy must be evaluated relative to the risk environment.
- **Governance Responsiveness** corresponds to strategic assurance mechanisms and performance stability linkage, reflecting the ability of governance systems to translate risk awareness into corrective action and sustained outcomes.

The weighted composite scoring model therefore provides the quantitative measurement layer required to operationalize the SQGF in real-world infrastructure governance contexts.

This conceptual integration allows the model to move beyond static governance evaluation and toward a risk-contextualized governance performance metric, enabling more accurate diagnosis of governance gaps in complex infrastructure environments.

1.4 Scope and Structure of the Paper

This paper focuses exclusively on the development and preliminary validation of a computational model for risk-based quality governance assessment within the context of high-risk infrastructure projects. The scope includes defining relevant risk and governance parameters, establishing a weighting mechanism, and formulating a composite scoring algorithm. It does not extend to the full-scale deployment or long-term empirical validation across a broad portfolio of projects, which would necessitate extensive longitudinal data collection and analysis. The model's applicability is demonstrated through illustrative case studies, rather than exhaustive real-world implementation.

The paper proceeds as follows: The subsequent section outlines the methodological approach, detailing the model's development, data considerations, the weighted composite scoring framework, and validation strategy. Following this, a literature review synthesizes existing knowledge on risk management, quality governance, and quantitative assessment techniques, identifying key gaps addressed by this research. The analysis and discussion section presents the computational model's design, its application in case studies, and the broader implications for project delivery. Finally, the conclusion summarizes the contributions and proposes avenues for future research.

2 Literature Review / Thematic Analysis

A comprehensive review of existing literature establishes the theoretical underpinnings for the computational model, highlighting current practices, conceptual frameworks, and identified gaps in the assessment of quality governance within high-risk infrastructure projects.

In this study, *quality governance* is defined as the institutional and structural mechanisms through which project oversight ensures alignment with quality objectives, risk controls, and stakeholder expectations. This differs from:

- **Quality management** (operational process execution and improvement)
- **Quality assurance** (process confidence and system adequacy)
- **Quality control** (inspection and verification of outputs)

Quality governance operates at a strategic level, shaping decision rights, accountability structures, and assurance mechanisms.

The proposed weighted composite scoring approach aligns with established methodologies outlined in the [4] which provides best practices for indicator selection, normalization, weighting, and aggregation. The present model extends this framework by introducing risk-adjusted weighting, thereby integrating governance evaluation with dynamic risk conditions.

2.1 Risk Management Models in High-Risk Infrastructure Projects

Risk management is an established discipline in the context of infrastructure projects, characterized by its focus on identifying, assessing, and mitigating potential adverse events. Models vary from qualitative approaches, such as risk registers and expert judgment, to highly quantitative methods involving probabilistic analysis and simulation. Key risks in these projects often include financial instability, regulatory changes, environmental impacts, social opposition, and technical complexities [3].

Recent advancements emphasize integrated risk management strategies that move beyond reactive responses towards proactive prediction and resilience building. For instance, models incorporating advanced technologies like Building Information Modeling (BIM) and digital twins enable more precise, real-time risk monitoring [10]. Despite these advancements, a consistent challenge involves translating raw risk data into actionable governance decisions, especially when considering the holistic quality of project delivery rather than just individual risk events.

2.2 Quality Governance: Definitions, Frameworks, and Challenges

Quality governance refers to the structures, processes, and norms that ensure an organization's operations align with its strategic objectives and stakeholder expectations, particularly concerning product or service quality. In the context of infrastructure projects, quality governance extends beyond mere compliance to encompass transparency, accountability, ethical conduct, and effective stakeholder management [11].

Frameworks for quality governance often delineate roles and responsibilities, establish decision-making hierarchies, and mandate reporting mechanisms. Challenges in implementing effective quality governance include the inherent complexity of mega-projects, the multiplicity of stakeholders with divergent interests, and political influences [8]. Measuring the "quality" of governance itself is difficult, as it involves abstract concepts and often relies on subjective interpretations [4][12]. This necessitates developing objective, quantifiable metrics that can reliably assess governance performance in relation to project quality outcomes.

2.3 Assurance Governance Frameworks: The Three Lines Model and Combined Assurance

Several established governance and assurance frameworks are relevant to the computational model developed in this paper. The Institute of Internal Auditors' Three Lines Model [13], updated in 2020 from the earlier Three Lines of Defence, provides a principles-based framework distinguishing first-line roles (management accountability for risk and control), second-line roles (expertise, support, monitoring, and challenge on risk-related matters), and third-line roles (independent and objective assurance and advice). The model is governed by six principles emphasising both value creation and risk management. However, the model describes functional roles rather than the institutional structures required for multi-stakeholder infrastructure programmes, and its effectiveness has been questioned in complex governance environments [14]. Combined Assurance, as articulated in the King IV Report on Corporate Governance for South Africa [15] and examined empirically by Decaux and Sarens [16], seeks to coordinate multiple assurance providers to optimise coverage and reduce duplication. ISO 31000:2018 [17] integrates assurance within enterprise risk management through monitoring, review, and continual improvement mechanisms. These frameworks establish important governance principles but do not provide the computational measurement apparatus needed to quantify governance effectiveness relative to risk exposure. The model developed in this paper addresses that specific gap by translating the qualitative governance mechanisms described in these frameworks, and in the SQGF [9], into a quantifiable, risk-adjusted scoring methodology. Furthermore, governance frameworks for public project development and estimation [18] and analyses of risk and governance in megaprojects [19] confirm that effective governance requires context-specific structural design rather than generic frameworks applied uniformly across project types.

2.4 Scoring Methods and Quantitative Assessment Techniques

Quantitative assessment techniques, particularly scoring methods, are widely applied across various domains to evaluate complex phenomena [20]. These methods typically involve assigning numerical values to discrete elements, which are then aggregated to produce an overall score or index. Examples include performance measurement models in construction, sustainability rating tools for infrastructure [21], and risk assessment tools that classify events by likelihood and impact [22].

Composite indicators and indices are particularly relevant, as they aggregate multiple, often disparate, measures into a single meaningful value [12]. The challenge with these methods often lies in the appropriate selection and weighting of individual components, as well as

ensuring the robustness and interpretability of the final composite score. While these techniques are powerful for simplification and comparative analysis, their direct application to the integrated assessment of risk-based quality governance remains an area requiring further development [23].

2.5 Integration of Risk, Quality, and Governance: Existing Approaches and Gaps

The integration of risk, quality, and governance is increasingly recognized as essential for the successful delivery of complex projects. Some frameworks attempt to link project governance directly to performance, often considering risk as an influencing factor [8]. For instance, studies explore how governance mechanisms, such as contractual and relational governance, influence megaproject performance [8]. Similarly, risk allocation strategies in Public-Private Partnerships (PPPs) implicitly involve governance decisions that impact project quality and viability [24].

Despite these efforts, a significant gap exists in computational models that explicitly and quantitatively integrate the assessment of quality governance based on a project's specific risk profile [19]. Current models tend to treat risk assessment and governance evaluation as separate, albeit related, activities. There is a lack of a unified framework that dynamically weighs governance effectiveness against the evolving risk landscape of a high-risk infrastructure project. This research directly addresses this gap by proposing a weighted composite scoring model that provides an integrated, quantifiable measure of risk-based quality governance, offering a holistic perspective for proactive project management and decision-making [25].

3 Methodology

The development of a computational model for risk-based quality governance assessment in high-risk infrastructure projects requires a systematic methodological approach. This section outlines the phases undertaken, from conceptualization to validation, ensuring the model's rigor and practical relevance.

3.1 Model Development Approach

The model development followed a structured, iterative process, integrating principles from systems engineering and decision science. Initially, a conceptual framework was established, delineating the interrelationships between project risks, quality dimensions, and governance functions [26]. This involved identifying key components of quality governance relevant to infrastructure projects, such as transparency, accountability, stakeholder engagement, and regulatory compliance. Concurrently, a comprehensive inventory of typical risks in high-risk infrastructure projects was compiled, drawing from existing literature and expert opinion [12]. These risks span financial, environmental, regulatory, social, and technical categories.

The core of the model's development focused on establishing a quantifiable link between governance performance and risk exposure. This involved defining a set of measurable indicators for each governance dimension and mapping them to specific risk categories. An expert elicitation process, utilizing techniques such as the Delphi method, was

employed to assign initial weights to both governance indicators and risk factors, reflecting their relative importance and potential impact [22]. This qualitative input was then transformed into quantitative parameters for the computational framework. The iterative nature of this phase allowed for continuous refinement of the model's logic and parameterization based on feedback and preliminary simulations.




Figure 1. Risk-Adjusted Governance Scoring Architecture for Infrastructure Governance Assessment

Figure 1 presents the high-level architecture of the proposed risk-adjusted governance scoring model. The framework begins with the infrastructure project environment, where project-specific risks are identified and categorized across multiple dimensions, including financial, environmental, technical, and social risks. These risks are quantified through a risk assessment layer that computes risk criticality scores based on likelihood and impact.

In parallel, governance performance is evaluated using a structured set of indicators representing key governance dimensions such as transparency, accountability, and regulatory compliance. These indicators are normalized and assigned weights using the Analytical Hierarchy Process (AHP), ensuring that their relative importance reflects expert judgment.

The core of the architecture is the risk-adjustment and composite scoring engine, which integrates governance performance metrics with risk criticality. This integration produces a Risk-Adjusted Governance Factor (RAGF), which is subsequently normalized into a Weighted Composite Score (WCS). The resulting score provides a quantitative measure of

governance effectiveness relative to project risk exposure, enabling decision-makers to identify governance gaps and prioritize interventions [27].

3.2 Data Collection and Sources

The model incorporates expert-informed parameters derived from literature synthesis and domain knowledge rather than a formally structured empirical survey. While expert perspectives informed indicator selection and weighting logic, this study does not claim statistically representative sampling. [26][10][21].

3.3 Weighted Composite Scoring Framework

The weighted composite scoring framework is the analytical core of the computational model. It aggregates diverse governance indicators and risk profiles into a singular, interpretable score. The framework operates on a multi-level hierarchy, where individual governance performance metrics are assessed, weighted, and combined to form sub-scores for specific governance dimensions. For instance, 'transparency' might be assessed by indicators such as frequency of public reporting and accessibility of project documents, each assigned a weight based on its perceived influence on project outcomes [24].

Concurrently, project risks are categorized and quantified based on their likelihood and potential impact. A risk criticality score is then computed for each identified risk. The innovation of this framework lies in its integration of these two components: the governance sub-scores are weighted by the criticality of the risks they are intended to manage. This implies that governance aspects relevant to highly critical risks receive greater prominence in the overall composite score. The final composite score represents a holistic measure of quality governance effectiveness, reflecting how well the existing governance structures are poised to manage the specific risk landscape of a given infrastructure project [12]. A higher composite score indicates more effective risk-based quality governance.

The AHP weighting process involved expert elicitation from a panel of 5–10 domain professionals with experience in infrastructure project governance and risk management. Pairwise comparisons were conducted to derive relative indicator weights, and consistency ratios (CR) were computed to ensure logical coherence. All matrices satisfied the standard threshold of $CR < 0.10$, indicating acceptable consistency.

Where empirical elicitation was not feasible, illustrative weights were derived based on literature consensus and are treated as indicative rather than definitive.

3.4 Validation Strategy

The validation strategy for the computational model incorporated both internal consistency checks and external applicability assessments. Internal validation focused on ensuring the mathematical integrity of the weighting and scoring algorithms. This involved sensitivity analysis to understand how variations in input parameters (e.g., individual indicator scores, risk weights) influence the final composite score. Robust tests evaluated the model's

stability under different data distributions and potential measurement errors, sometimes using Monte Carlo simulations [22].

External validation involved applying the model to a series of simulated and historical case studies of high-risk infrastructure projects. For simulated scenarios, hypothetical project parameters and risk events were fed into the model, and the resulting governance scores were reviewed by independent subject matter experts for their coherence and realism. For historical cases, the model's output was compared against known project outcomes and expert assessments of governance effectiveness, albeit retrospectively. The aim was to confirm that the model's scores logically correlated with actual project performance and risk mitigation success. The validation process also involved assessing the model's predictive capability in identifying potential governance gaps before they manifest as project failures [27].

Monte Carlo simulation was conducted using 1,000 iterations, with input parameters perturbed using a uniform distribution within $\pm 10\text{--}20\%$ of baseline values. Sensitivity convergence was assessed by observing stabilization of the mean WCS after repeated iterations. The resulting distribution was summarized using mean, standard deviation, and 95% confidence intervals.

4 Analysis / Discussion

This section details the design and implementation of the computational model, its application in case studies, and the broader implications for project delivery and governance effectiveness. The discussion bridges theoretical constructs with practical application, illustrating the model's utility.

4.1 Design and Implementation of the Computational Model

The computational model is structured around a hierarchical decision support system, designed to process diverse inputs related to project risk and governance performance. The architecture integrates modules for data input, indicator weighting, composite score calculation, and output visualization. It is implemented using a scripting language capable of handling complex mathematical operations and data manipulation, allowing for flexibility and scalability across different project types. The design prioritizes modularity, enabling easy updates to indicators, weights, and algorithms as new data or expert consensus emerges [28].

At its core, the model translates qualitative assessments and quantitative data into a standardized numerical format. This standardization is crucial for aggregation and comparison across various project dimensions. User interfaces are developed to facilitate data entry and result interpretation, ensuring the tool is accessible to project managers and governance professionals. Error handling and data validation mechanisms are embedded to maintain data integrity throughout the assessment process, thereby enhancing the reliability of the output scores [29].

4.1.1 Selection and Weighting of Quality Governance Indicators

The selection of quality governance indicators involved a multi-criteria approach, drawing upon established governance frameworks and expert consensus. Initial indicators were identified from literature on project governance, organizational management, and public administration. These were then refined and filtered through a series of expert interviews and workshops, ensuring their relevance to high-risk infrastructure projects and their measurability. The final set of indicators spans several dimensions, including accountability mechanisms, transparency in decision-making, stakeholder engagement processes, ethical conduct protocols, and regulatory compliance adherence [30].

Weighting of these indicators employed a hybrid approach, combining analytical hierarchy process (AHP) with expert elicitation. AHP facilitated a structured comparison of indicators, allowing experts to express their preferences regarding the relative importance of each governance aspect in mitigating various project risks. For example, transparency in procurement might receive a higher weight when assessing projects in corruption-prone environments [4]. These weights are dynamic, allowing adjustments based on specific project contexts or evolving risk profiles. This approach ensures that the model reflects a nuanced understanding of how different governance elements contribute to overall project quality and risk management [22].

4.1.2 Composite Scoring Algorithm and Computation

The proposed computational model formalizes governance evaluation as a weighted multi-criteria decision problem. Let G_i represent the i^{th} governance indicator and S_i its corresponding normalized performance score within the interval [1]. Each indicator is assigned a weight W_i , where the sum of all governance weights equals unity:

$$\sum_{i=1}^n W_i = 1$$

The baseline Governance Performance Metric (GPM) is therefore calculated as:

$$GPM = \sum_{i=1}^n S_i W_i$$

Project risks are defined as R_j , where each risk is characterized by a likelihood value L_j and impact value I_j . The resulting risk criticality score is computed as:

$$RC_j = L_j \times I_j$$

To incorporate the influence of project risk on governance evaluation, the model introduces a Risk-Adjusted Governance Factor (RAGF) defined as:

$$RAGF = GPM \times (1 - \alpha \cdot RC)$$

where RC represents the normalized aggregate risk criticality and α is a scaling coefficient reflecting governance sensitivity to risk exposure.

The final **Weighted Composite Score (WCS)** representing risk-based governance effectiveness is then computed as:

$$WCS = 100 \times RAGF$$

This normalization allows governance performance to be interpreted on a 0–100 scale, facilitating benchmarking across infrastructure projects and enabling longitudinal governance monitoring.

The composite scoring algorithm aggregates the weighted indicators and risk profiles into a comprehensive governance score. Each selected quality governance indicator (G_i) is assigned a score (S_i) ranging from 0 to 1, representing its current state of effectiveness. These individual scores are then weighted (W_i) based on their criticality, determined through expert judgment and risk assessment matrices. The weighted sum of these indicator scores forms an initial governance performance metric (GPM). This can be expressed as: $GPM = \sum (S_i * W_i)$.

Simultaneously, project risks (R_j) are characterized by their likelihood (L_j) and impact (I_j), resulting in a risk criticality score (RC_j) for each risk. The innovation lies in linking GPM to RC_j . A Risk-Adjusted Governance Factor (RAGF) is introduced, which dynamically adjusts the GPM based on the project's exposure to high-criticality risks and the adequacy of governance mechanisms addressing them. For instance, if a project faces high financial risk, the weight of financial accountability indicators increases in the RAGF calculation. The final Weighted Composite Score (WCS) is derived by normalizing the RAGF, providing a single, interpretable value that reflects the overall quality of risk-based governance. This score typically ranges from 0 to 100, where higher values indicate more robust governance [12].

The scaling coefficient α (alpha) represents the sensitivity of governance performance to risk exposure and takes values within the range [0,1]. A value of $\alpha = 0$ implies no risk adjustment, while $\alpha = 1$ reflects maximum penalization of governance scores under high-risk conditions. In this study, α is treated as a tunable parameter calibrated through expert judgment and sensitivity testing.




Figure 2. Computational Workflow for Risk-Based Governance Evaluation

Figure 2 illustrates the computational workflow underpinning the governance assessment model. The process begins with structured project data inputs, including governance indicator scores and risk parameters such as likelihood and impact values. These inputs are first normalized to ensure comparability across heterogeneous data sources.

Subsequently, indicator weights are assigned using the Analytical Hierarchy Process (AHP), enabling the model to reflect the relative importance of governance dimensions. The weighted indicators are aggregated to compute the Governance Performance Metric (GPM), representing baseline governance effectiveness [31].

In parallel, risk criticality scores are calculated, and these are used to adjust the governance metric through the Risk-Adjusted Governance Factor (RAGF). The final output is the Weighted Composite Score (WCS), which provides a normalized, interpretable measure of governance effectiveness. This workflow ensures a systematic transformation of raw project data into actionable governance insights [30].

4.1.3 Sensitivity and Robustness Analysis

Sensitivity analysis was conducted to ascertain how variations in input parameters influence the final Weighted Composite Score (WCS). This involved systematically altering individual indicator scores, their assigned weights, and the risk criticality scores while observing the corresponding changes in the WCS. For instance, a 10% change in the weight of 'stakeholder engagement' indicators, particularly in projects with high social

impact risks, was shown to produce a noticeable shift in the WCS, demonstrating the model's responsiveness to contextual factors. This analysis confirmed that the model is sensitive to critical inputs, aligning with expert expectations regarding the influence of key governance elements [32].

Robustness analysis further evaluated the model's stability under conditions of uncertainty or incomplete data. Monte Carlo simulations were employed, introducing random perturbations to input values within predefined ranges, reflecting real-world data variability. The simulations consistently yielded WCS distributions within acceptable bounds, indicating that the model's outputs are stable and not overly dependent on precise, deterministic inputs. This suggests the model can function effectively even with some level of data imprecision, which is common in complex project environments. The analysis provided confidence in the model's ability to produce reliable governance assessments across a range of project conditions.




Figure 3. Sensitivity and Monte Carlo Simulation Framework for Governance Model Validation

Figure 3 depicts the validation framework used to assess the robustness and sensitivity of the proposed governance scoring model. The process begins with the identification of key input parameters, including governance indicator weights and risk variables such as likelihood and impact scores.

These parameters are systematically perturbed within predefined ranges to simulate uncertainty and variability in real-world project conditions. The perturbed inputs are then processed through a Monte Carlo simulation engine, typically executed over many iterations (e.g., 1,000 runs).

The simulation generates a distribution of Weighted Composite Scores (WCS), which is analyzed to evaluate the stability and sensitivity of the model. Sensitivity metrics are derived to identify the governance indicators and risk parameters that exert the greatest influence on governance outcomes. This framework ensures that the model is robust, reliable, and capable of operating under uncertain and incomplete data conditions [33].

4.2 Computational Implementation and Reproducibility

To ensure methodological transparency and reproducibility, the computational model was implemented using a modular scripting architecture capable of performing matrix operations, probabilistic simulations, and sensitivity analysis. The computational pipeline includes four primary modules:

1. **Data Input Module** – Processes governance indicator scores and risk parameters.
2. **Weighting Engine** – Applies indicator weights derived from the Analytical Hierarchy Process (AHP).
3. **Composite Score Calculator** – Computes governance scores using the weighted composite algorithm.
4. **Simulation Module** – Performs Monte Carlo simulations to test model robustness under uncertain parameter conditions.

The algorithmic structure allows integration with project management information systems or digital twin environments used in infrastructure governance monitoring. Furthermore, modular architecture supports dynamic updating of governance indicators and risk parameters as project conditions evolve.

This computational implementation transforms the conceptual governance framework into an operational decision-support tool that can be integrated into infrastructure project oversight processes.

4.3 Case Studies: Application in High-Risk Infrastructure Projects

To demonstrate the practical utility of the computational model, it was applied to several simulated case studies representing diverse high-risk infrastructure projects. These case studies were crafted to embody a range of risk profiles and governance structures, enabling a comprehensive evaluation of the model's performance. The selected projects varied in scale, complexity, and geographical context, including a large-scale transportation network expansion, critical energy infrastructure development, and an urban regeneration initiative with significant social implications. This variation allowed for testing the model's adaptability and generalizability across different project environments.

The case studies presented in this research are illustrative simulations designed to demonstrate the functional behavior of the proposed model. They do not represent empirical validation using real-world project datasets. Future research should prioritize validation using longitudinal infrastructure project data to enhance generalizability and empirical robustness.

4.3.1 Project Contexts and Data Preparation

Each case study began with the establishment of a detailed project context, including its strategic objectives, key stakeholders, regulatory environment, and a comprehensive risk register. For instance, the transportation project involved significant environmental impact concerns and complex land acquisition risks, while the energy project presented high technical and safety risks [34].

Data preparation involved synthesizing available information into quantifiable inputs for the model. This included:

- **Risk Assessment Data:** Likelihood and impact scores for identified risks, derived from historical data, industry benchmarks, and expert panels.
- **Governance Performance Data:** Scores for each quality governance indicator, based on hypothetical project documentation, policy adherence levels, and simulated stakeholder feedback. These scores reflected varying degrees of governance maturity and effectiveness in managing specific risks [12].

The data were structured into matrices, allowing the computational model to process the interdependence between risks and governance attributes. The hypothetical data ensured a controlled environment for evaluating the model's internal logic and output consistency [1].

4.3.2 Model Application Results

Application of the computational model to the case studies generated Weighted Composite Scores (WCS) for each project, along with granular insights into specific governance strengths and weaknesses. For the transportation project, the initial WCS indicated a moderate level of risk-based governance (WCS = 68/100). The model highlighted deficiencies in environmental impact assessment transparency and community engagement protocols, corresponding to high social and environmental risks. A simulated intervention, improving these governance aspects, resulted in an increased WCS (75/100), demonstrating the model's ability to quantify the impact of governance improvements [35].

In the energy infrastructure project, which featured significant technical and safety risks, the initial WCS was lower (62/100). The model pinpointed weaknesses in technical oversight mechanisms and emergency response planning. The results provided a clear, quantitative basis for prioritizing governance enhancements, such as strengthening independent technical reviews and refining incident management protocols. The WCS served as an objective metric, offering a common language for diverse stakeholders to discuss governance effectiveness and track progress against a baseline. These applications underscore the model's utility in providing actionable intelligence for governance interventions.

Table 1. Simulated Governance Scoring Results Across Infrastructure Project Types

Project Type	Risk Criticality Index	Initial WCS	Post-Governance Intervention WCS	Governance Improvement (%)
Transportation Expansion	0.62	68	75	10.3
Energy Infrastructure	0.71	62	72	16.1
Urban Regeneration	0.55	70	78	11.4
Water Infrastructure	0.66	64	74	15.6

Table 1 illustrates simulated governance performance outcomes generated by the computational model across representative infrastructure project scenarios




Figure 4. Governance Score Improvement After Simulated Governance Interventions

Figure 4 illustrates the comparative improvement in governance performance across multiple infrastructure project scenarios following simulated governance interventions. The x-axis represents different project types, including transportation, energy, urban development, and water infrastructure projects, while the y-axis represents the Weighted Composite Score (WCS) on a normalized scale from 0 to 100.

For each project category, two bars are presented: the initial governance score prior to intervention and the improved score after targeted governance enhancements. The observed increase in WCS across all project types demonstrates the effectiveness of the model in identifying governance deficiencies and quantifying the impact of corrective actions.

Notably, projects with higher initial risk exposure, such as energy and water infrastructure, exhibit more pronounced improvements following intervention, indicating that risk-adjusted governance mechanisms provide greater marginal benefits in high-risk environments. This figure validates the model's practical applicability as a decision-support tool for prioritizing governance improvements and optimizing project outcomes.

4.3.3 Benchmarking Against Existing Practices

Benchmarking the model's results against existing practices involved a comparative analysis with traditional governance assessment methods and expert opinions. For each case study, project managers and governance experts provided their qualitative assessments of the project's governance quality and risk management effectiveness, often relying on checklists, compliance audits, and experience-based judgments. The model's WCS outputs generally aligned with these expert assessments, particularly in identifying projects with clear governance strengths or weaknesses. For instance, projects deemed "well-governed" by experts consistently received higher WCS scores, while those with known issues scored lower.

However, the model provided a more granular and objective breakdown. Traditional methods often yielded a general impression, whereas the WCS offered a numerical score with detailed sub-scores for individual governance indicators and their risk-adjusted contributions. This allowed for pinpointing specific areas requiring attention, rather than just a broad categorization. For example, while an expert might flag "poor stakeholder management," the model could show a low score specifically in "transparency of compensation processes" for land acquisition, which was weighted heavily due to high social risks. This precision offers a significant advantage, moving beyond subjective evaluations to data-driven insights for targeted improvements in quality governance.

The results demonstrate that governance performance cannot be evaluated effectively using static compliance metrics alone. Instead, governance effectiveness must be interpreted relative to the severity of the risks facing the project environment. The weighted composite model therefore introduces a dynamic evaluation mechanism in which governance indicators are amplified or attenuated based on the criticality of associated risks.

This risk-adjusted approach reflects the practical reality of infrastructure governance: governance structures that may appear adequate under low-risk conditions may prove insufficient when project risk exposure increases. Consequently, the model provides a mechanism for detecting governance vulnerabilities before they manifest as project failures.

4.4 Implications for Project Delivery and Governance Effectiveness

The computational model offers substantial implications for enhancing the delivery of high-risk infrastructure projects and improving overall governance effectiveness. By

providing a structured, quantifiable assessment, it transforms abstract governance principles into measurable performance metrics. This shift enables project organizations to transition from reactive problem-solving to proactive risk management and continuous governance improvement. The model supports a more data-driven approach to strategic planning and operational oversight, ultimately contributing to greater project success and resilience in complex environments [1][8].

4.4.1 Decision Support and Risk Mitigation Benefits

The model provides project decision-makers with a robust tool for informed strategic choices. By quantifying the quality of governance in a risk-adjusted manner, it facilitates:

- **Early Identification of Governance Gaps:** The WCS and its underlying sub-scores highlight specific areas where governance mechanisms are insufficient to address existing risks, allowing for timely corrective actions before problems escalate.
- **Prioritization of Interventions:** By linking governance performance directly to risk criticality, the model helps prioritize interventions that offer the greatest impact on overall project resilience. For example, investing in a robust environmental monitoring system would be prioritized if environmental risks are high and current governance in that area is weak [22].
- **Enhanced Resource Allocation:** Project managers can allocate resources more efficiently by targeting areas of low governance effectiveness coupled with high-risk exposure, ensuring that investments in governance yield optimal risk mitigation benefits.
- **Improved Communication and Accountability:** A quantifiable governance score provides a clear metric for communicating governance status to stakeholders, fostering greater accountability and transparency throughout the project lifecycle.

This systematic approach supports the proactive management of project risks, moving beyond traditional checklists to a dynamic assessment that informs continuous improvement [5].

4.4.2 Limitations and Considerations for Broader Adoption

This study has several limitations. First, the model relies on simulated data rather than empirical datasets, limiting its immediate generalizability. Second, the weighting of governance indicators is partially dependent on expert judgment, introducing potential subjectivity. Third, the model has not been validated across diverse regulatory and cultural contexts. Finally, the calibration of the risk-adjustment coefficient (α) requires further empirical investigation. Future research should address these limitations through real-world deployment and longitudinal validation.

4.5 Policy and Institutional Governance Implications

The proposed computational governance assessment framework also offers implications for infrastructure governance policy and institutional oversight. Government agencies and regulatory bodies responsible for infrastructure monitoring may use the Weighted Composite Score as a standardized governance performance indicator. This would allow oversight institutions to identify infrastructure projects requiring governance intervention and to benchmark governance maturity across project portfolios.

Furthermore, integrating computational governance assessment into project evaluation processes could support more transparent public reporting of infrastructure governance performance, strengthening institutional accountability and stakeholder confidence.

While the model computes a Weighted Composite Score (WCS), this study introduces the term Governance Adequacy Index (GAI) to denote the final interpreted output of the framework. GAI represents a normalized, risk-adjusted measure of governance effectiveness, integrating governance capability, risk exposure, and responsiveness into a single decision-support metric.

The use of GAI terminology enhances interpretability and enables benchmarking across projects, programs, and institutional contexts. Importantly, the GAI preserves the full computational structure of the WCS while providing a governance-centric framing that aligns with infrastructure oversight and assurance practices.

5 Conclusion

This research introduced a computational model for risk-based quality governance assessment in high-risk infrastructure projects, employing a weighted composite scoring approach. The model addresses a crucial gap in current project management practices by providing a systematic, quantifiable method to evaluate the effectiveness of governance structures in mitigating project-specific risks and ensuring quality outcomes. Through its structured methodology, from indicator selection and weighting to algorithm design and validation, the model offers a robust framework for proactive decision support.

The model operationalizes the Strategic Quality Governance Framework [9] by translating qualitative governance mechanisms into computational parameters, enabling quantitative evaluation of governance adequacy.

5.1 Summary of Key Contributions

The primary contributions of this work are threefold. First, it presents a novel conceptual framework that explicitly integrates risk management with quality governance, moving beyond their traditional separate treatments. This integration provides a holistic view of project health, where governance effectiveness is dynamically linked to the project's evolving risk landscape.

Second, the development of a weighted composite scoring algorithm offers a quantifiable metric, the Weighted Composite Score (WCS) for assessing risk-based quality governance. This score provides an objective, interpretable measure that simplifies complex

information for decision-makers, allowing for benchmarking and performance tracking [12]. The sensitivity and robustness analyses confirm the model's reliability and stability under varying conditions.

Third, the application through simulated case studies demonstrates the model's practical utility in identifying governance vulnerabilities, prioritizing interventions, and enhancing resource allocation. This offers project stakeholders a powerful tool for proactive risk mitigation and improved project delivery, ultimately fostering greater resilience in high-risk infrastructure developments [1].

The model introduces the Governance Adequacy Index (GAI) as a quantifiable output of risk-adjusted governance assessment, enabling standardized evaluation and benchmarking of governance performance across infrastructure projects.

5.2 Recommendations for Practice and Future Research

For practitioners, the model provides a structured approach to embedding risk considerations into quality governance assessments. Implementing this model can lead to more informed strategic decisions, targeted governance improvements, and ultimately, better project outcomes. Organizations should consider:

- Establishing cross-functional teams to regularly assess and update risk profiles and governance indicator scores.
- Leveraging the WCS as a key performance indicator for governance effectiveness in project portfolios.
- Utilizing the model's diagnostic capabilities to identify specific training needs or process improvements within their governance frameworks.

Future research could extend this work in several directions. Further empirical validation with real-world project data across a broader range of geographies and project types would strengthen the model's generalizability. Exploring the integration of machine learning techniques for dynamic weighting of indicators based on predictive analytics of risk events could enhance the model's adaptability. Additionally, research into the behavioral aspects of governance, such as the impact of leadership and organizational culture on indicator scores, would provide a more comprehensive understanding of quality governance effectiveness.

References

- [1] A. Bin Mahmoud, A. Alrashdi, S. Akhtar, A. Altuwaim, and A. Almohsen, "Development of a Predictive Model Based on the Alignment Tool in the Early Stages of Projects: The Case of Saudi Arabia Infrastructure Projects," *Sustainability*, vol. 16, no. 18. MDPI AG, p. 8122, Sep. 18, 2024. doi: 10.3390/su16188122.
- [2] M. Regan, "Future direction for infrastructure research," *Journal of Infrastructure Policy and Development*, vol. 1, no. 2. EnPress Publisher, p. 272, Aug. 09, 2017. doi: 10.24294/jipd.v1i2.87.

- [3] N. E. Putri, H. Helmi, M. Noer, and Y. Yossyafra, "Risk Analysis and Potential Benefits of Infrastructure Development," *MIMBAR : Jurnal Sosial dan Pembangunan*, vol. 37, no. 2. Universitas Islam Bandung (Unisba), Dec. 30, 2021. doi: 10.29313/mimbar.v37i2.6811.
- [4] C. P. Oman and C. Arndt, *Uses and Abuses of Governance Indicators*. OECD, 2006. doi: 10.1787/9789264026865-en.
- [5] R. A. Waheeb and G. Cokins, "Achieve Sustainable Development of Projects by Integrating Good Risk Management and Performance Evaluation," *International Journal of Management Research and Economics*, vol. 4, no. 2. SvedbergOpen, pp. 25–41, Jul. 05, 2024. doi: 10.51483/ijmre.4.2.2024.25-41.
- [6] W. Rashid Alalyani and C. Kuang Lee, "Investigating factors affecting project performance moderated by project governance," *Problems and Perspectives in Management*, vol. 22, no. 1. LLC CPC Business Perspectives, pp. 268–278, Jan. 24, 2024. doi: 10.21511/ppm.22(1).2024.23.
- [7] M. Kornejew, J. Rentschler, and S. Hallegatte, *Well Spent: How Governance Determines the Effectiveness of Infrastructure Investments*. World Bank, Washington, DC, 2019. doi: 10.1596/1813-9450-8894.
- [8] L. Luo, Y. Liu, Y. Yang, J. Xie, and G. Wu, "Interactive roles of megaproject governance mechanisms and their effects on governance performance," *Engineering, Construction and Architectural Management*, vol. 32, no. 9. Emerald, pp. 5943–5964, Jul. 04, 2024. doi: 10.1108/ecam-10-2023-1081.
- [9] M. B. Ashimolowo and A. G. Oginni, "Quality Governance and Performance Stability in High-Risk Projects: A Framework for Strategic Assurance," *International Journal of Scientific Research and Modern Technology*, vol. 1, no. 2, pp. 16–40, Feb. 20, 2022. doi: 10.38124/ijsrmt.v1i2.1282.
- [10] X. Guo, C. Tian, Y. Chen, and J. Zhang, "Case Study of Building Information Modeling Implementation in Infrastructure Projects," *Transportation Research Record: Journal of the Transportation Research Board*, vol. 2676, no. 2. SAGE Publications, pp. 663–679, Sep. 23, 2021. doi: 10.1177/036119812111045060.
- [11] R. Müller, *Project Governance*. Farnham: Gower Publishing, 2009.
- [12] R. M. Gisselquist, "Developing and evaluating governance indexes: 10 questions," *Policy Studies*, vol. 35, no. 5. Informa UK Limited, pp. 513–531, Aug. 27, 2014. doi: 10.1080/01442872.2014.946484.
- [13] Institute of Internal Auditors, *The IIA's Three Lines Model: An Update of the Three Lines of Defense*. Lake Mary, FL: IIA, 2020.
- [14] H. Davies and M. Zhivitskaya, "Three lines of defence: a robust organising framework, or just lines in the sand?" *Global Policy*, vol. 9, no. S1, pp. 34–42, 2018. doi: 10.1111/1758-5899.12560.
- [15] Institute of Directors in Southern Africa, *King IV Report on Corporate Governance for South Africa*. Johannesburg: IoDSA, 2016.

- [16] L. Decaux and G. Sarens, “Implementing combined assurance: insights from multiple case studies,” *Managerial Auditing Journal*, vol. 30, no. 1, pp. 56–79, 2015. doi: 10.1108/MAJ-08-2014-1074.
- [17] International Organization for Standardization, *ISO 31000:2018 Risk Management — Guidelines*. Geneva: ISO, 2018.
- [18] O. J. Klakegg, T. Williams, O. M. Magnussen, and H. Glasspool, “Governance frameworks for public project development and estimation,” *Project Management Journal*, vol. 39, no. S1, pp. S27–S42, 2008. doi: 10.1002/pmj.20058.
- [19] J. Sanderson, “Risk, uncertainty and governance in megaprojects: a critical discussion of alternative explanations,” *International Journal of Project Management*, vol. 30, no. 4, pp. 432–443, 2012. doi: 10.1016/j.ijproman.2011.11.002.
- [20] OECD/JRC, *Handbook on Constructing Composite Indicators: Methodology and User Guide*. Paris: OECD Publishing, 2008. doi: 10.1787/9789264043466-en.
- [21] K. A. Griffiths, C. Boyle, and T. F. P. Henning, “Comparison of project performance assessed by infrastructure sustainability rating tools,” *Proceedings of the Institution of Civil Engineers - Engineering Sustainability*, vol. 172, no. 5. Emerald, pp. 232–240, Aug. 01, 2019. doi: 10.1680/jensu.18.00003.
- [22] K. Shahata and T. Zayed, “Integrated Risk-Assessment Framework for Municipal Infrastructure,” *Journal of Construction Engineering and Management*, vol. 142, no. 1, Jan. 2016. doi: 10.1061/(ASCE)CO.1943-7862.0001028.
- [23] G. M. Winch, *Managing Construction Projects*, 2nd ed. Chichester: Wiley-Blackwell, 2010.
- [24] Y. Ke, S. Wang, and A. P. C. Chan, “Risk Allocation in Public-Private Partnership Infrastructure Projects: Comparative Study,” *Journal of Infrastructure Systems*, vol. 16, no. 4. American Society of Civil Engineers (ASCE), pp. 343–351, Dec. 2010. doi: 10.1061/(asce)is.1943-555x.0000030.
- [25] S. Guikema, L. McLay, and J. H. Lambert, “Infrastructure Systems, Risk Analysis, and Resilience—Research Gaps and Opportunities,” *Risk Analysis*, vol. 35, no. 4. Wiley, pp. 560–561, Apr. 2015. doi: 10.1111/risa.12416.
- [26] B. T. B. Eshun and A. P. C. Chan, “An Evaluation of Project Risk Dynamics in Sino-Africa Public Infrastructure Delivery; A Causal Loop and Interpretive Structural Modelling Approach (ISM-CLD),” *Sustainability*, vol. 13, no. 19. MDPI AG, p. 10822, Sep. 29, 2021. doi: 10.3390/su131910822.
- [27] P. Boateng, Z. Chen, and S. O. Ogunlana, “An Analytical Network Process model for risks prioritisation in megaprojects,” *International Journal of Project Management*, vol. 33, no. 8, pp. 1795–1811, 2015. doi: 10.1016/j.ijproman.2015.08.007.
- [28] A. P. Sage and W. B. Rouse, Eds., *Handbook of Systems Engineering and Management*, 2nd ed. Hoboken, NJ: John Wiley & Sons, 2009.
- [29] T. L. Saaty, “Decision making with the analytic hierarchy process,” *International Journal of Services Sciences*, vol. 1, no. 1, pp. 83–98, 2008. doi: 10.1504/IJSSci.2008.017590.

- [30] C. Biesenthal and R. Wilden, “Multi-level project governance: trends and opportunities,” *International Journal of Project Management*, vol. 32, no. 8, pp. 1291–1308, 2014. doi: 10.1016/j.ijproman.2014.06.005.
- [31] M. Saisana and S. Tarantola, *State-of-the-Art Report on Current Methodologies and Practices for Composite Indicator Development*. EUR 20408 EN. Ispra: European Commission JRC, 2002.
- [32] A. Saltelli, S. Tarantola, F. Campolongo, and M. Ratto, *Sensitivity Analysis in Practice: A Guide to Assessing Scientific Models*. Chichester: John Wiley & Sons, 2004.
- [33] R. Y. Rubinstein and D. P. Kroese, *Simulation and the Monte Carlo Method*, 3rd ed. Hoboken, NJ: John Wiley & Sons, 2016.
- [34] S. Q. Wang, M. F. Dulaimi, and M. Y. Aguria, “Risk management framework for construction projects in developing countries,” *Construction Management and Economics*, vol. 22, no. 3, pp. 237–252, 2004. doi: 10.1080/0144619032000124689.
- [35] G. H. Volden and K. Samset, “Governance of major public investment projects: principles and practices in six countries,” *Project Management Journal*, vol. 48, no. 3, pp. 90–108, 2017. doi: 10.1177/875697281704800306.