

An Intelligent Adaptive Robotic Framework for Healthcare Delivery and Real-Time Patient Monitoring

¹P.Revathi,

Assistant Professor,

Department of Artificial Intelligence & Machine Learning ,Anurag University
Ghatkesar Rd, Venkatapur, Hyderabad, Majarguda, Telangana 500088

²G.Prasanthi,

Associate Professor,

Department of Information Technology, Sridevi Women's Engineering College, Wipro V.N.Pally, Gachibowli,
Hyderabad West IT Corridor, R.R.District-500 075

³R. Sreedhar,

Associate Professor,

Department of Information Technology, Sridevi Women's Engineering College, Wipro V.N.Pally, Gachibowli,
Hyderabad West IT Corridor, R.R.District-500 075

⁴Dr. P.Avinash

Professor,

Department of Information Technology, Sridevi Women's Engineering College,Wipro V.N.Pally, Gachibowli,
Hyderabad West IT Corridor, R.R.District-500 075

Abstract

The increasing demand for automated healthcare solutions has accelerated the development of intelligent robotic systems for medicine delivery and patient monitoring in hospitals and remote care environments. This paper proposes a novel Adaptive Healthcare Delivery and Monitoring Algorithm (AHDMA) integrated within an autonomous robotic platform. The proposed algorithm combines real-time patient parameter monitoring with optimized medicine delivery using a hybrid approach of sensor fusion, path planning, and intelligent decision-making. Vital parameters such as heart rate, temperature, oxygen saturation, and blood pressure are continuously acquired through IoT-enabled sensors and analyzed using a lightweight predictive model to detect abnormal conditions. Based on patient priority and urgency, the algorithm dynamically schedules medicine delivery tasks and computes optimal navigation paths using an adaptive shortest-path strategy with obstacle avoidance. Additionally, a rule-based and learning-assisted decision layer ensures timely alerts to healthcare providers in case of emergencies. The system is designed to operate with low latency and minimal human intervention, making it suitable for high-demand hospital environments. Experimental analysis demonstrates that AHDMA improves delivery efficiency, reduces response time, and enhances patient safety compared to conventional manual and semi-automated systems. The proposed framework provides a scalable and reliable solution for

smart healthcare automation and real-time patient management.

Keywords

Healthcare Robotics, Patient Monitoring, Medicine Delivery, Internet of Things (IoT), Artificial Intelligence (AI), Adaptive Algorithms, Sensor Fusion, Telemedicine, Autonomous Robots, Smart Healthcare Systems, Real-Time Monitoring, Predictive Analysis, Path Planning, Human-Robot Interaction, AHDMA Framework

1. Introduction

The rapid advancement of healthcare robotics has significantly transformed modern medical systems by enabling intelligent automation in patient monitoring and clinical assistance [1]. Recent developments in robotic platforms integrated with advanced sensing and actuation technologies have facilitated continuous monitoring of vital physiological parameters [2]. Artificial intelligence-based monitoring systems have further enhanced real-time decision-making, particularly in critical care environments [3]. Social and assistive robots have emerged as key components in patient-centered healthcare, providing continuous monitoring and interaction capabilities [4]. AI-enabled robotic systems have also shown effectiveness in elderly care by supporting continuous health assessment [5]. Wearable

and non-invasive monitoring technologies have enabled multi-parameter physiological data acquisition [6].

The integration of IoT technologies with healthcare systems has enabled real-time data collection and remote patient monitoring [7]. Hospital robots equipped with monitoring modules have improved automation and efficiency in clinical environments [8]. Telemedicine systems have expanded healthcare accessibility through remote interaction and monitoring capabilities [9]. IoT-based medical assistant robots have demonstrated capabilities in navigation, monitoring, and support tasks [10]. Early tele-nursing systems laid the foundation for continuous remote patient monitoring [11]. The combination of AI and IoT has further enhanced intelligent healthcare systems for chronic disease management [12]. Modern robotic platforms provide real-time monitoring and assistance, improving healthcare delivery [13].

Robotic systems have also been widely applied in rehabilitation and clinical monitoring applications [14]. Telepresence robots have improved patient interaction and accessibility in remote environments [15]. Nursing robots capable of monitoring vital signs have been developed for hospital use [16]. Advanced machine learning and digital twin technologies enable predictive and adaptive healthcare systems [17]. Medicine delivery robots have improved efficiency and reduced human intervention in hospitals [18]. Contactless monitoring robots have been introduced to minimize infection risks [19]. Cloud-based intelligent robotic systems are enabling scalable healthcare solutions [20].

Furthermore, advancements in human-robot interaction and modular robotic systems have enhanced system usability and adaptability [21]. Humanoid healthcare robots are being developed to provide comprehensive medical assistance [22]. IoT-based smart health monitoring systems have improved real-time tracking capabilities [23]. Advanced robotic platforms are also being used for clinical mobility and monitoring tasks [24]. IoT-enabled medical assistant robots further contribute to integrated healthcare solutions [25]. However, despite these advancements, existing systems lack unified, adaptive frameworks that integrate monitoring and delivery functionalities, highlighting the need for intelligent and scalable healthcare robotic solutions.

2. Motivation of the Proposed Work

10.48047/jocaaa.2026.35.09.02

Despite significant advancements in healthcare robotics, existing systems primarily focus on either patient monitoring or medicine delivery, resulting in fragmented and inefficient solutions [3], [8]. Current approaches rely heavily on static rule-based mechanisms, limiting their adaptability in dynamic hospital environments where patient conditions continuously evolve [5], [12]. Although IoT and AI-based systems improve monitoring accuracy, they lack real-time integration with robotic task execution and decision-making [7], [10]. Furthermore, challenges such as inefficient navigation, lack of predictive intelligence, and limited multi-parameter data fusion hinder system performance [17], [18]. These limitations highlight the necessity for an integrated, adaptive, and intelligent framework such as the proposed AHDMA model [20].

3. Challenges in Medicine Delivery and Patient Monitoring Robots

The deployment of healthcare robots introduces several challenges related to reliability, efficiency, and system integration. One major issue is data privacy and security, as continuous monitoring involves sensitive patient information requiring secure transmission and storage [7], [20]. Algorithm reliability is another concern, as inaccurate predictions may lead to critical medical errors [3]. Integration complexity arises from combining IoT sensors, robotic platforms, and AI systems into a unified architecture [10], [12]. Additionally, energy constraints and scalability issues affect long-term operation in hospital environments [13]. Navigation in dynamic and crowded spaces further complicates medicine delivery tasks [18], [19]. These challenges necessitate robust, adaptive, and efficient healthcare robotic frameworks [17].

4. Problem Statement

Although healthcare robotics has advanced significantly, existing solutions remain function-specific and lack integration between patient monitoring and medicine delivery systems [1], [8]. Most approaches rely on static scheduling and predefined rules, limiting their ability to adapt to real-time changes in patient conditions [5], [12]. Furthermore, current systems process physiological data independently, lacking effective multi-sensor data fusion and contextual analysis [6], [17]. Challenges related to scalability, energy efficiency, and autonomous navigation further restrict practical deployment [13], [18]. Therefore, there is a need for a unified and adaptive

framework that integrates real-time monitoring, intelligent decision-making, and efficient robotic task execution in dynamic healthcare environments [20].

5. Importance of the Proposed Solution

The proposed Adaptive Healthcare Delivery and Monitoring Algorithm (AHDMA) addresses critical limitations in existing healthcare robotic systems by integrating real-time monitoring with intelligent medicine delivery [3], [10]. Unlike conventional methods, it employs adaptive decision-making based on continuously monitored patient conditions, enabling dynamic prioritization and efficient task scheduling [17], [18]. The incorporation of multi-sensor data fusion enhances accuracy and reliability in patient health assessment [6]. Additionally, optimized path planning improves navigation efficiency in complex hospital environments [13]. The lightweight and scalable design ensures suitability for real-time deployment, making the proposed framework a comprehensive solution for modern smart healthcare systems [20].

6. Objectives of the Proposed Work

The objective of this research is to develop an intelligent and adaptive healthcare robotic framework for real-time patient monitoring and efficient medicine delivery.

1. To design a multi-sensor based real-time monitoring system for accurate patient health assessment [6], [7].
2. To develop an adaptive decision-making and task scheduling mechanism for efficient medicine delivery using robotic systems [10], [18].

7. Overview of the Paper

This paper presents a novel intelligent healthcare robotic framework that integrates real-time patient monitoring with adaptive medicine delivery mechanisms [3], [10]. The study begins with a comprehensive analysis of existing systems, identifying limitations such as fragmented functionality, lack of adaptability, and inefficient coordination [5], [12]. The proposed AHDMA model incorporates multi-sensor data fusion, predictive analysis, and adaptive scheduling to enhance system performance [17]. An optimized navigation module ensures efficient robot movement in dynamic hospital environments [18]. Performance evaluation is conducted using metrics such as monitoring accuracy, response

10.48047/jocaaa.2026.35.09.02

time, and delivery efficiency, demonstrating the effectiveness of the proposed approach in real-world scenarios [20].

II. Literature Survey

Healthcare robotics has evolved significantly with the integration of intelligent monitoring systems, autonomous navigation, and real-time decision-making capabilities. Early research focused on robotic systems for monitoring basic physiological parameters, while recent advancements emphasize multi-functional healthcare robots capable of both monitoring and assistance tasks. The convergence of artificial intelligence, IoT, and robotics has enabled scalable and efficient healthcare solutions. However, most existing systems address individual functionalities rather than providing a unified and adaptive framework. This section reviews existing literature across sensing, communication, energy efficiency, security, and system integration, highlighting research gaps that motivate the proposed AHDMA framework.

2.1 Patient Monitoring and Sensing Technologies

Patient monitoring systems have evolved from basic sensor-based approaches to advanced multi-parameter monitoring frameworks. Early robotic systems demonstrated the feasibility of monitoring vital signs such as heart rate and temperature in clinical environments [1]. Advanced sensing and actuation technologies further improved real-time monitoring capabilities in healthcare robots [2]. AI-based monitoring systems enhanced accuracy and decision-making in intensive care units [3]. Social robots introduced patient interaction along with monitoring capabilities [4]. AI-enabled systems for elderly care provided continuous health assessment [5]. Wearable technologies enabled non-invasive monitoring of multiple physiological parameters [6]. However, these systems lack integrated decision-making and real-time adaptability.

2.2 IoT and Communication Frameworks in Healthcare Robotics

The integration of IoT has enabled real-time data acquisition, transmission, and remote monitoring in healthcare systems. IoT-based frameworks facilitate continuous patient monitoring and improve responsiveness in emergency situations [7]. Robotic platforms integrated with monitoring modules have enhanced automation in hospital environments [8].

Telemedicine systems have expanded healthcare accessibility through remote communication technologies [9]. IoT-enabled medical assistant robots support navigation, monitoring, and healthcare assistance tasks [10]. Early tele-nursing systems established the foundation for continuous remote monitoring [11]. The integration of AI and IoT has further enhanced system intelligence and efficiency [12]. However, challenges remain in scalability, latency, and real-time integration.

2.3 Robotic Systems for Healthcare Assistance and Delivery

Robotic systems have been widely applied in healthcare for monitoring, rehabilitation, and assistance tasks. Modern robotic platforms provide real-time monitoring and support, improving healthcare delivery efficiency [13]. Robotic-assisted rehabilitation systems have been used for patient recovery and clinical evaluation [14]. Telepresence robots enable remote interaction and improve healthcare accessibility [15]. Nursing robots capable of monitoring vital parameters have been developed for hospital applications [16]. Machine learning and digital twin technologies enable predictive monitoring and adaptive healthcare systems [17]. Medicine delivery robots have improved operational efficiency in hospitals [18]. However, integration of monitoring and delivery functionalities remains limited.

2.4 Advanced Intelligent Systems and Emerging Technologies

Recent advancements in healthcare robotics focus on intelligent and adaptive systems capable of real-time decision-making. Contactless monitoring robots have been introduced to reduce infection risks in hospital environments [19]. Cloud-based robotic systems enable scalable and efficient healthcare solutions [20]. Human-robot interaction systems improve usability and system adaptability [21]. Humanoid healthcare robots provide comprehensive medical assistance and support [22]. IoT-based smart healthcare systems enable continuous monitoring and data-driven insights [23]. Advanced robotic platforms are used for clinical mobility and monitoring tasks [24]. IoT-enabled assistant robots further enhance integrated healthcare applications [25]. However, unified frameworks are still lacking.

2.5 Summary and Research Gap

10.48047/jocaaa.2026.35.09.02

The literature indicates significant advancements in healthcare robotics, particularly in patient monitoring, IoT integration, and robotic assistance systems. However, most existing solutions are fragmented, focusing either on monitoring or medicine delivery independently. Current systems lack adaptive decision-making, real-time prioritization, and integrated frameworks that combine multiple functionalities. Additionally, challenges related to scalability, energy efficiency, and dynamic hospital environments remain unresolved. The absence of unified and intelligent frameworks motivates the development of the proposed Adaptive Healthcare Delivery and Monitoring Algorithm (AHDMA), which integrates real-time monitoring, predictive analysis, and optimized medicine delivery into a single adaptive system.

Table I: Simplified Literature Comparison and Research Gap

Ref	Work Focus	Contribution	Limitation	Gap
[3]	AI-based patient monitoring	High accuracy monitoring	Static decision-making	No adaptive prioritization
[7]	IoT healthcare system	Real-time data acquisition	Latency and integration issues	No unified framework
[17]	ML-based monitoring	Predictive analysis	No robotic execution	No task coordination
[18]	Medicine delivery robot	Efficient delivery system	No patient monitoring	No integrated system

Research Gap

The analysis of existing literature reveals that current healthcare robotic systems are fragmented, focusing either on patient monitoring or medicine delivery without integration. AI and IoT-based systems improve monitoring accuracy and data acquisition but lack adaptive decision-making and real-time task coordination. Similarly, medicine delivery robots operate efficiently but do not consider patient health conditions for prioritization. This creates a significant gap in developing a unified and intelligent system. The proposed AHDMA framework addresses this gap by

10.48047/jocaaa.2026.35.09.02

integrating real-time monitoring, predictive analysis, and adaptive task scheduling within a single robotic system, enabling dynamic prioritization, efficient navigation, and improved healthcare service delivery.

3. Proposed Methodology

3.1 Proposed Concept

The proposed Adaptive Healthcare Delivery and Monitoring Algorithm (AHDMA) provides an integrated framework for real-time patient monitoring and intelligent medicine delivery using autonomous robotic systems. The system continuously collects physiological parameters such as heart rate, temperature, oxygen saturation, and blood pressure using IoT-enabled sensors. These parameters are normalized and processed to evaluate patient health conditions. Unlike existing systems, the proposed approach dynamically links monitoring with robotic task execution. Based on patient condition severity, the system assigns priority and schedules delivery tasks. The framework ensures adaptive decision-making, reduced response time, and efficient healthcare service delivery in dynamic hospital environments.

3.2 Proposed System Architecture




Figure 1: Representing the overall system architecture

The proposed system architecture in figure 1 consists of sensing, processing, decision-making, scheduling, and execution layers integrated into a unified framework. The sensing layer collects real-time physiological data, which is processed using multi-sensor fusion techniques to improve reliability. The decision layer evaluates patient conditions and assigns priority levels based on severity. The scheduling layer dynamically allocates tasks to the robot, ensuring efficient operation under multiple patient scenarios. The execution layer performs navigation using optimized path planning with obstacle avoidance. This layered architecture ensures scalability, modularity, and real-time adaptability, enabling efficient coordination between monitoring and medicine delivery in complex healthcare environments.

3.3 Algorithm Overview (AHDMA)

Algorithm 1: Adaptive Healthcare Delivery and Monitoring Algorithm (AHDMA)

Input: Sensor data X_i (heart rate, temperature, SpO₂, BP)

Output: Delivery decision D and optimal path $Path^*$

```

1: Initialize system parameters and patient database
2: Initialize robot state and environment map
3: while (system active) do
4:   Acquire sensor data  $X_i$  from all patients
5:   Preprocess data (noise removal, normalization)
6:   for each patient  $i$  do
7:     Compute health index  $H_i$ 
8:     Detect anomaly  $A_i$  using predictive model
9:     Compute priority  $P_i$  based on  $H_i$  and  $A_i$ 
10:   end for
11:   Normalize priorities and compute scheduling score  $S_i$ 
12:   Select patient  $k$  with highest priority
13:   Compute optimal path  $Path^*$  using shortest-path algorithm
14:   Apply obstacle avoidance and navigation constraints
15:   Execute medicine delivery to patient  $k$ 
16:   Update system state and patient status
17: end while
18: Return final decision  $D$  and updated system state

```

The proposed AHDMA algorithm operates as a continuous closed-loop system that integrates sensing, analysis, prioritization, and execution. Initially, physiological data is acquired from multiple patients and preprocessed to ensure accuracy. A predictive model evaluates patient conditions and assigns priority scores based on health severity and detected anomalies. The scheduling module selects the highest-priority patient and computes an optimal navigation path using shortest-path strategies with obstacle avoidance. The robot then executes medicine delivery while continuously updating system states. This iterative process ensures real-time adaptability, efficient resource utilization, reduced response time, and improved reliability in dynamic healthcare environments.

3.4 Mathematical Formulation and Implementation

The proposed system models patient priority and decision-making using mathematical formulations. Let x_{ij} represent normalized physiological parameters. The patient health index is defined as:

$$H_i = \sum_{j=1}^n w_j x_{ij}$$

10.48047/jocaaa.2026.35.09.02

where w_j represents parameter weights. The priority score is computed as:

$$P_i = \alpha H_i + \beta A_i$$

where A_i represents anomaly detection output. The scheduling function is defined as:

$$S_i = \frac{P_i}{\sum_{k=1}^N P_k}$$

The path cost function is given by:

$$C = \sum_{(u,v) \in path} d(u,v)$$

The optimal path is:

$$Path^* = \arg \min C$$

The decision function is defined as:

$$D = f(H_i, P_i, S_i)$$

These formulations ensure adaptive prioritization, efficient scheduling, and optimized navigation in dynamic environments.

Table II: Representing the overall Notation requireemnts

Symbol Description

x_{ij}	Physiological parameter j of patient i
w_j	Weight of parameter j
H_i	Health index of patient i
P_i	Priority score
A_i	Anomaly detection output
S_i	Scheduling factor
C	Path cost
$Path^*$	Optimal path
D	Final decision output

3.5 Experimental Setup

10.48047/jocaaa.2026.35.09.02

The proposed AHDMA framework is evaluated using a simulated healthcare environment with multiple patients and dynamic conditions. During the training phase, historical sensor data is used to calibrate parameter weights and anomaly detection thresholds. Synthetic datasets representing normal and abnormal conditions are generated for model tuning. In the testing phase, real-time sensor inputs are processed to evaluate system performance under varying workloads and emergency scenarios. The robot navigation is simulated using grid-based path planning with obstacle avoidance. Performance metrics such as response time, delivery efficiency, monitoring accuracy, and system latency are analyzed to validate the effectiveness of the proposed framework.

4. Results and Discussion

4.1 Simulation Setup and Parameter Configuration

The proposed AHDMA framework is evaluated using a MATLAB-based simulation environment that models a real-time multi-patient healthcare system with autonomous robotic assistance. The simulation incorporates physiological parameters such as heart rate, temperature, oxygen saturation, and blood pressure under both normal and abnormal conditions. A grid-based environment with dynamic obstacles is used to simulate hospital navigation. The robot computes optimal paths using shortest-path strategies with obstacle avoidance. System performance is analyzed across varying patient loads and environmental conditions. The simulation ensures realistic evaluation of monitoring accuracy, response time, and delivery efficiency, enabling comprehensive validation of the proposed framework.

Table III: Simulation Parameters

Parameter	Value
Number of Patients	30
Sensor Types	HR, Temp, SpO ₂ , BP
Sampling Interval	1 s
Simulation Time	1000 iterations
Grid Size	20 × 20
Robot Speed	1.2 m/s

Parameter	Value
Obstacle Density	15%
Platform	MATLAB R2023a

4.2 Training Phase Analysis

During the training phase, historical and synthetically generated datasets are used to calibrate system parameters and optimize the predictive model. The model learns to classify patient conditions based on normalized physiological inputs and anomaly detection thresholds. MATLAB-based simulations are used to train the system over multiple iterations, ensuring convergence and stability. Feature weights are optimized to improve the accuracy of health index computation and prioritization. The training phase enables the system to distinguish between normal and critical conditions effectively, ensuring reliable performance during deployment and minimizing false predictions.

Table IV: Training Configuration

Component	Value
Dataset Size	5000 samples
Training Iterations	500
Learning Rate	0.01
Feature Count	4
Anomaly Threshold	0.65
Training Accuracy	93.2%
Training Loss	0.08

4.3 Testing Phase and Performance Evaluation

The testing phase evaluates the real-time performance of the proposed framework under dynamic conditions. Sensor inputs are processed continuously, and the system assigns priority scores to patients based on health conditions. MATLAB simulations are conducted with varying patient loads and emergency scenarios to evaluate system robustness. The robot dynamically schedules medicine delivery tasks and computes optimal paths. Performance metrics such as monitoring accuracy, response time, delivery efficiency, and system latency are analyzed. The results demonstrate that the proposed AHDMA framework maintains high accuracy

and efficiency while adapting effectively to changing healthcare conditions.

Table V: Testing Results

Metric	Value
Monitoring Accuracy	94.6%
Response Time	2.34 sec
Delivery Efficiency	92.8%
System Latency	0.85 sec
Task Completion Rate	96.2%

4.4 Comparative Analysis and MATLAB Plot Discussion

The performance of the proposed AHDMA framework is compared with existing manual and semi-automated healthcare systems using MATLAB-generated plots. The results show that the proposed method achieves higher accuracy, lower response time, and improved delivery efficiency due to adaptive prioritization and intelligent scheduling. Training and testing plots indicate stable convergence and consistent performance across iterations. The system demonstrates scalability under increasing patient loads and maintains reliable operation in dynamic environments. Overall, the proposed framework outperforms existing approaches by providing an integrated and efficient solution for real-time healthcare automation.

Table VI: Layer-wise Performance Metrics

Layer	Accuracy (%)	Processing Time (ms)
Sensing Layer	96.5	120
Processing Layer	95.2	150
Decision Layer	94.8	110
Scheduling Layer	93.9	100
Execution Layer	92.7	180

Table VII: Comparative Performance Analysis

Method	Accuracy (%)	Response Time (sec)	Efficiency (%)
--------	--------------	---------------------	----------------

10.48047/jocaaa.2026.35.09.02

Method	Accuracy (%)	Response Time (sec)	Efficiency (%)
Manual System	81.3	5.72	68.5
Semi-Automated	87.6	3.95	78.9
Proposed AHDMA	94.6	2.34	92.8

4.5 Results Analysis

4.5.1 Accuracy Analysis




Figure 2: Accuracy versus number of patients showing logistic growth behavior and comparative performance of Manual System, Semi-Automated System, and Proposed AHDMA.

The accuracy plot in figure 2 demonstrates a logistic growth pattern with respect to the number of patients, reflecting realistic system learning and adaptability. Initially, all methods exhibit lower accuracy due to limited data and system initialization effects. As the number of patients increases, the proposed AHDMA framework achieves a faster and more stable increase in accuracy compared to manual and semi-automated systems. The proposed method reaches approximately 94–95% accuracy, while semi-automated and manual systems saturate at lower levels. The smooth S-shaped curve indicates efficient learning and robustness, highlighting the effectiveness of adaptive decision-making and multi-sensor data fusion in improving patient monitoring performance.

4.5.2 Training Loss Analysis




Figure 3: Training loss convergence curve illustrating exponential decay and stable learning behavior of the predictive model.

The training loss curve in figure 3 follows an exponential decay trend, indicating effective convergence of the predictive model during training. Initially, the loss value is high due to untrained parameters and system uncertainty. As training progresses, the loss decreases rapidly and stabilizes around a minimal value, demonstrating that the model has learned meaningful patterns from the data. The smooth decay without oscillations confirms stable training behavior and proper parameter tuning. The low final loss value indicates high model accuracy and reliability, ensuring that the system can effectively distinguish between normal and abnormal patient conditions in real-time deployment scenarios.

4.5.3 Response Time Analysis




Figure 4: Response time versus patient load demonstrating nonlinear growth and improved efficiency of the proposed AHDMA framework.

The response time plot in figure 4 exhibits a nonlinear growth trend with increasing patient load, representing realistic system behavior under scalability constraints. The manual system shows the highest response time due to lack of automation, while the semi-automated system performs moderately. The proposed AHDMA framework maintains significantly lower response times due to optimized scheduling and efficient path planning. The gradual increase in response time with patient load indicates system scalability, while the lower slope for the proposed method highlights its efficiency in handling multiple tasks simultaneously. This demonstrates the advantage of adaptive prioritization and intelligent resource allocation in reducing delays.

4.5.4 Efficiency Analysis




Figure 5: Efficiency versus number of patients showing exponential saturation behavior with common initial baseline for all methods.

The efficiency plot in figure 5 follows an exponential saturation curve starting from a common baseline for all methods, ensuring fair comparison. Initially, efficiency is low due to system initialization and limited data availability. As the system processes more tasks, efficiency increases rapidly, with the proposed AHDMA framework achieving the highest growth rate and saturating above 90%. In contrast, semi-automated and manual systems stabilize at lower efficiency levels around 80% and 70%, respectively. The exponential growth behavior reflects improved task scheduling and execution efficiency over time. The results confirm that the proposed method effectively utilizes resources and adapts to dynamic healthcare environments.

10.48047/jocaaa.2026.35.09.02

Achievements of the Proposed Work

The proposed Adaptive Healthcare Delivery and Monitoring Algorithm (AHDMA) demonstrates significant improvements in intelligent healthcare automation by integrating real-time patient monitoring with adaptive medicine delivery. The system achieves a monitoring accuracy of **94.6%**, ensuring reliable detection of patient conditions, while maintaining a low response time of **2.34 seconds**, which is critical for emergency healthcare scenarios. The delivery efficiency reaches **92.8%**, indicating effective task scheduling and optimized robotic navigation. Additionally, the system maintains a high task completion rate of **96.2%**, reflecting robustness under dynamic patient loads. The lightweight design ensures low system latency (**0.85 seconds**), making it suitable for real-time deployment in hospital environments with minimal human intervention.

Overall Observations

The simulation results indicate that the proposed AHDMA framework consistently outperforms existing manual and semi-automated healthcare systems across all evaluated metrics. The integration of multi-sensor data fusion and predictive analysis enables accurate assessment of patient conditions, while adaptive prioritization ensures timely response to critical cases. MATLAB-based analysis shows stable convergence during the training phase and consistent performance during testing, even under varying patient loads and environmental complexities. The layered architecture contributes to efficient processing and decision-making, reducing delays and improving system reliability.

Furthermore, the proposed system demonstrates strong scalability and adaptability in dynamic healthcare environments. The optimized path planning and scheduling mechanisms significantly reduce delivery time compared to conventional approaches. Unlike existing fragmented systems, AHDMA provides a unified framework that seamlessly integrates monitoring, decision-making, and robotic execution. The results confirm that the proposed approach enhances overall healthcare efficiency, improves patient safety, and supports real-time automation, making it a promising solution for next-generation smart healthcare systems.

Conclusion

This paper presented a novel Adaptive Healthcare Delivery and Monitoring Algorithm (AHDMA) for integrating real-time patient monitoring with intelligent medicine delivery using autonomous robotic systems. The proposed framework successfully combines multi-sensor data acquisition, predictive health analysis, adaptive prioritization, and optimized path planning into a unified architecture. The system demonstrated high monitoring accuracy, reduced response time, and improved delivery efficiency, validating its effectiveness in dynamic healthcare environments. The MATLAB-based simulation results confirmed that the proposed approach outperforms conventional manual and semi-automated systems. By enabling real-time decision-making and minimizing human intervention, AHDMA provides a reliable, scalable, and efficient solution for smart healthcare automation and patient management.

Future Scope

The proposed work can be extended by incorporating advanced machine learning and deep learning models to improve predictive accuracy and early detection of critical health conditions. Integration with real-time hardware systems such as embedded controllers and IoT devices can further enhance practical deployment in hospitals. Future research may focus on multi-robot coordination to handle large-scale healthcare environments efficiently. Additionally, the inclusion of advanced navigation techniques such as SLAM and vision-based obstacle detection can improve robot autonomy. Security and privacy mechanisms can also be strengthened using blockchain or secure communication protocols. The system can be further expanded to support telemedicine and cloud-based healthcare platforms, enabling remote monitoring and intelligent healthcare services at scale.

References

- [1] F. Rabby, A. N. Oishi, S. T. Mubassir, S. Barua, M. S. S. Tanjim, and M. A. Alam, "Robot for Contagious Patient to Monitor Three Vital Signs with Multiple Care and Technology," in *Proc. Int. Conf. Comput. Inf. Technol. (ICCIT)*, Cox's Bazar, Bangladesh, 2024, pp. 1909-1913, doi: 10.1109/ICCIT64611.2024.11021841.
- [2] P. Dhivya, V. G. Karthiga, S. Vinotha, S. Saravanakumar, T. Abinith, and T. Varunsri, "Advanced Sensing and Actuation Health Monitoring Robot," in *Proc.*

5th Int. Conf. Electron. Sustain. Commun. Syst. (ICESC), Coimbatore, India, 2024, pp. 177-183, doi: 10.1109/ICESC60852.2024.10689853.

[3] P. L. Lobo, P. Kavitha, K. Saranya, Selvaraju, C. Kumar, and D. Venkatachalam, "Artificial Intelligence (AI) based on Real Time Patient Monitoring System in Intensive Care Unit and its Applications," in *Proc. 8th Int. Conf. Inventive Syst. Control (ICISC)*, Coimbatore, India, 2024, pp. 328-332, doi: 10.1109/ICISC62624.2024.00063.

[4] R. Goraksha, A. Bongale, S. Sayyad, and S. Kumar, "Healthcare Monitoring Companion: The Social Robot," in *Proc. 3rd Int. Conf. Artif. Intell. Internet Things (Allot)*, Vellore, India, 2024, pp. 1-6, doi: 10.1109/Allot58432.2024.10574758.

[5] B. C. R, A. M. I, N. P. S, S. Joy, and H. Namrin, "Patient Monitoring System for Elderly Care using AI Robot," in *Proc. 6th Int. Conf. Comput. Syst. Inf. Technol. Sustain. Solut. (CSITSS)*, Bangalore, India, 2022, pp. 1-5, doi: 10.1109/CSITSS57437.2022.10026384.

[6] B. Liu, Y. Zhang, and Z. Liu, "Wearable monitoring system with multiple physiological parameters," in *Proc. 5th Int. Summer Sch. Symp. Med. Devices Biosens.*, Hong Kong, 2008, pp. 268-271, doi: 10.1109/ISSMDBS.2008.4575071.

[7] R. T. Iype, "Autonomous Ambulance Management System with Real-Time Patient Monitoring using IoT," in *Proc. IEEE 5th Int. Conf. Convergence Technol. (I2CT)*, Bombay, India, 2019, pp. 1-4, doi: 10.1109/I2CT45611.2019.9033729.

[8] K. A. Mamun, A. Sharma, A. S. M. Hoque, and T. Szecsi, "Remote patient physical condition monitoring service module for iWARD hospital robots," in *Proc. Asia-Pacific World Congr. Comput. Sci. Eng.*, Nadi, 2014, pp. 1-8, doi: 10.1109/APWCCSE.2014.7053854.

[9] P. Lepage et al., "Telehomecare telecommunication framework — From remote patient monitoring to video visits and robot telepresence," in *Proc. 38th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, Orlando, FL, USA, 2016, pp. 3269-3272, doi: 10.1109/EMBC.2016.7591426.

[10] S. Pradeep, M. L. Reddy, M. Harika, N. Kiranmai, and V. Aarthi, "Development and Testing of an IoT-Based Medical Assistant Robot: A Design for Enhanced Healthcare Support," in *Proc. IEEE 5th Int. Conf. Cybern. Cogn. Mach. Learn. Appl. (ICCCMLA)*, Hamburg,

10.48047/jocaaa.2026.35.09.02
Germany, 2023, pp. 292-297, doi:
10.1109/ICCCMLA58983.2023.10346647.

[11] B. Yang, S. Rhee, and H. H. Asada, "A twenty-four hour tele-nursing system using a ring sensor," in *Proc. 1998 IEEE Int. Conf. Robot. Autom.*, Leuven, Belgium, 1998, vol. 1, pp. 387-392, doi: 10.1109/ROBOT.1998.676438.

[12] S. Porkodi and D. Kesavaraja, "Healthcare Robots Enabled with IoT and Artificial Intelligence for Elderly Patients," in *AI and IoT-Based Intelligent Automation in Robotics*, Wiley, 2021, pp. 87-108, doi: 10.1002/9781119711230.ch6.

[13] T. Porselvi, A. G. R, V. K, S. G, and S. T, "Robot-Based Healthcare Monitoring Platform," in *Proc. Int. Conf. Power, Energy, Control Transmiss. Syst. (ICPECTS)*, Chennai, India, 2024, pp. 1-3, doi: 10.1109/ICPECTS62210.2024.10780270.

[14] R. Colombo et al., "Upper limb rehabilitation and evaluation of stroke patients using robot-aided techniques," in *Proc. 9th Int. Conf. Rehabil. Robot. (ICORR)*, Chicago, IL, USA, 2005, pp. 515-518, doi: 10.1109/ICORR.2005.1501154.

[15] C. S. Ranganathan et al., "IoT-Driven Telepresence Robots for Telemedicine using AI for Improved Patient Interaction," in *Proc. 1st Int. Conf. Innov. Commun. Electr. Comput. Eng. (ICICEC)*, Davangere, India, 2024, pp. 1-6, doi: 10.1109/ICICEC62498.2024.10808988.

[16] R. Hossain et al., "Design and Development of a Nursing Robot for Non-Invasive Monitoring of Human Body Temperature and Heart Rate," in *Proc. 7th Int. Conf. Comput. Commun. Control Autom. (ICCUBEA)*, Pune, India, 2023, pp. 1-5, doi: 10.1109/ICCUBEA58933.2023.10392259.

[17] S. Ullah, S. Khan, D. Vanecek, and I. U. Rehman, "Machine Learning and Digital-Twins-Based Internet of Robotic Things for Remote Patient Monitoring," *IEEE Access*, vol. 13, pp. 57141-57165, 2025, doi: 10.1109/ACCESS.2025.3555495.

[18] A. Joy et al., "MedRobo Medicine Delivering and Patient Parameter Monitoring Robot," in *Proc. 7th Int. Conf. Adv. Comput. Commun. Syst. (ICACCS)*, Coimbatore, India, 2021, pp. 1808-1812, doi: 10.1109/ICACCS51430.2021.9441692.

[19] M. N. Hussain and M. Idrissi, "Contactless Vital Signs Monitoring in Hospital Wards: A Quadruped Robot

Approach," in *Proc. 10th Int. Conf. Autom. Robot. Appl. (ICARA)*, Athens, Greece, 2024, pp. 75-80, doi: 10.1109/ICARA60736.2024.10552924.

[20] R. S et al., "Cloud-Powered Virtual Doctor Robots for Enhancing Elderly Care and Chronic Disease Management with Recurrent Neural Networks," in *Proc. 3rd Int. Conf. Electr. Electron. Inf. Commun. Technol. (ICEEICT)*, Trichirappalli, India, 2024, pp. 1-6, doi: 10.1109/ICEEICT61591.2024.10718608.

[21] A. Burz et al., "HRI Based Command System of a Modular Parallel Robot for Brachial Monoparesis," in *Proc. IEEE Int. Conf. Autom. Quality Testing Robot. (AQTR)*, Cluj-Napoca, Romania, 2022, pp. 1-6, doi: 10.1109/AQTR55203.2022.9802034.

[22] J. M. Anson et al., "Exode: Humanoid Healthcare Robot," in *Proc. Int. Conf. Sustain. Comput. Data Commun. Syst. (ICSCDS)*, Erode, India, 2023, pp. 967-972, doi: 10.1109/ICSCDS56580.2023.10104997.

[23] S. Bhatnagar, "A New Prototype Based Smart Health Monitoring System in IoT System," in *Proc. 3rd Asian Conf. Innov. Technol. (ASIANCON)*, Ravet IN, India, 2023, pp. 1-7, doi: 10.1109/ASIANCON58793.2023.10270794.

[24] A. Vitanza, P. Pagliuca, F. Cantucci, and S. Nolfi, "Skeleton Timed Up and Go on MARIO Robot," in *Proc. IEEE Int. Conf. Metrol. Extended Reality Artif. Intell. Neural Eng. (MetroXRINE)*, Milano, Italy, 2023, pp. 1171-1176, doi: 10.1109/MetroXRINE58569.2023.10405769.

[25] M. A. Hossain et al., "Design and Implementation of an IoT Based Medical Assistant Robot (Aido-Bot)," in *Proc. IEEE Int. Women Eng. (WIE) Conf. Electr. Comput. Eng. (WIECON-ECE)*, Bhubaneswar, India, 2020, pp. 17-20, doi: 10.1109/WIECON-ECE52138.2020.9397958.